



Asia Petrochemicals LLC

Vinyl Acetate Monomer

PRODUCT DESCRIPTION

Vinyl Acetate Monomer used in the production of polyvinyl alcohol, adhesives and coatings. It is an important organic chemical material, by polymerization or copolymerization with other monomers, mainly use for the production of polyvinyl acetate (PVAc), polyvinyl alcohol (PVA), vinyl acetate – ethylene copolymer emulsion (VAE) or vinyl acetate copolymer (EVA) resin, vinyl chloride copolymer (EVC) and Acetal resins.

APPLICATIONS:

Vinyl Acetate Monomer (VAM), an essential chemical building block used in a wide variety of industrial and consumer products. VAM is a key ingredient in emulsion polymers, resins, and intermediates used in paints, adhesives, coatings, textiles, wire and cable polyethylene compounds, laminated safety glass, packaging, automotive plastic fuel tanks and acrylic fibers.

Packing: Bulk, ISO Tanks & Drums

TEST DESCRIPTION	SPECIFICATION LIMITS		UNIT OF MEASURE
	Min	Max	
Vinyl Acetate Monomer	99.9		%(w/w)
Water		400	ppm
Acidity		50	ppm
Acetaldehyde		100	ppm
Methyl Acetate		50	ppm
Ethyl Acetate		150	ppm
Specific Gravity 20/20°C	0.932	0.936	
Colour, APHA		5	
Distillation Range	71.0	73.5	°C
Hydroquinone	14	16	ppm

For further information please visit <http://www.asia-petrochem.com> or send an enquiry to info@asia-petrochem.com

Asia Petrochemicals LLC
PO Box 76283 Dubai UAE
T +971 4 2384533 F +971 4 2384534